

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKewed/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

RECEIVED
CENTRAL FAX CENTER
OCT 21 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

HAEBERLI

Application No.: 09/721,437

For: Previewing and Manipulating A
Framed Image Print

Examiner: Yang, Ryan R.

Art Unit: 2672

**APPELLANT'S REQUEST FOR
REINSTATEMENT OF APPEAL AND
SUPPLEMENTAL BRIEF ON APPEAL**

I hereby certify that this correspondence is being
deposited with the United States Postal Service
as first class mail in an envelope addressed to:
Commissioner for Patents, PO Box 1450,
Alexandria, VA 22313

On 10/21 2004

By: [Signature]

Mail Stop Appeal Brief - Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This Brief is presented in support of a Request for Reinstatement of the Appeal filed herewith, from the rejection of Claims 1-27 of the above-identified application, as set forth in the Office Action mailed August 12, 2004.

There is no fee for the Request for Reinstatement. Please deduct any additional fees or credit any excess fees associated with the Appeal Brief to Deposit Account 501861. Appendix A, attached hereto, contains a copy of all claims pending in this case.

OCT 21 2004

REAL PARTY OF INTEREST

The Real Party of Interest is Shutterfly Inc., a Delaware corporation.

RELATED APPEALS AND INTERFERENCES

There are no related appeals or interferences for the above-referenced patent application.

STATUS OF CLAIMS

Claims 1-27 are pending and are the subject of this Appeal. All claims have been rejected. Claims 1-27 are the subject of this appeal. No other claims are pending.

STATUS OF AMENDMENTS

The claims were amended in response to an Office Action mailed in February 2003. A Final Office Action was mailed on April 26, 2004. An Appeal Brief was filed May 27, 2004, and an Office Action mailed August 12, 2004 raised new grounds of rejection.

A copy of all the pending claims, prior to the after final amendment, is provided in Appendix A attached hereto.

SUMMARY OF THE INVENTION

In one aspect the invention provides a method of generating a frame prototype image showing a picture image framed within a frame. The method includes providing a frame image showing the frame in a perspective view, the frame image having a picture portion corresponding to the portion of the frame used to view a picture mounted in the frame; mapping the picture image to the picture portion of the frame image in order to generate the frame prototype image wherein the perspective frame image is not shown in a head-on view; and providing an enhanced

edit set along with the frame image, the enhanced edit set including user manipulatable tools for editing either the picture or the frame in the perspective view.

One or more of the following advantages may be provided. The systems and methods described herein provide a more realistic presentation of an image based product. The image based product can be an image in a frame. Other image based products such as photocards, greeting cards, t-shirts, mugs, and other novelty items can also be displayed using a perspective view that enhances the appeal of the product. The user's perspective frame view can be enhanced by lighting and other effects and displayed in an environment to help simulate the appearance of the image-based product in various settings. The user can apply one or more enhancing features to the image while displayed in the environment. Effects can be applied to the image, producing a resultant image that can be provided in a perspective view in the environment. The framed image can be manipulated to change its position, orientation, or size.

ISSUES PRESENTED FOR REVIEW

- I. WHETHER CLAIMS 1-9, 11, 18 AND 26 ARE ANTICIPATED BY OLES (6,047,130) AND TEO (6,064,399)
- II. WHETHER CLAIM 10 IS PATENTABLE UNDER SECTION 103(A) OVER OLES, TEO AND KURASHIGE (5,282,262)
- III. WHETHER CLAIMS 12-17, 19-22 AND 24-25 ARE PATENTABLE UNDER SECTION 103(A) OVER OLES, TEO AND OBERG (5,870,771).
- IV. WHETHER CLAIM 23 IS PATENTABLE OVER OLES, TEO, OBERG AND FREEMAN (6,356,288).
- V. WHETHER CLAIM 27 IS PATENTABLE OVER OLES, TEO AND MORRIS (6,453,361).

GROUPING OF CLAIMS

For each ground of rejection that appellant contest herein, which applies to more than one claim, such additional claims, to the extent separately identified and argued below, do not stand or fall together.

ARGUMENT

CLAIMS 1-9, 11, 18 AND 26 ARE NOT ANTICIPATED BY OLES AND TEO

Claims 1-9, 11, 18 and 26 were rejected under Section 102(b) as anticipated by Oles and further in view of Teo. Oles discloses a photographic camera synchronized to a video camera with a computer and viewing monitors that allows professional photography customers to visually determine the appropriate size of a portrait photograph and matching picture frame by displaying upon a viewer a perspective view of a video image of the photographic image and the matching picture frame within a simulated room image. Teo discloses a method and system for constructing a panoramic image including the steps of applying panoramic curvature to at least one image, thereby to create a panoramic background embedding in the panoramic background an additional image having a geometry other than that of the panoramic curvature thereby to provide a composite panoramic image containing an embedded image corresponding to the additional image and whose geometry matches that of the panoramic background.

Generally, the present rejection does not establish *prima facie* anticipation. A single cited art reference must teach each and every element of the claim to establish anticipation under 35 U.S.C. §102. M.P.E.P. §2131; *In re Royka*, 180 U.S.P.Q. 580 (CCPA 1974) ("All words in a claim must be considered in judging the patentability of that claim against the prior art."). The Court of Appeals for the Federal Circuit has held that, "the identical invention must be shown in as complete detail as is contained in the claim." *Richardson v. Suzuki Motor Co.*, 9 U.S.P.Q.2d 1913, 1920 (Fed. Cir. 1989). In the instant case, the Jordan et al. patent fails to describe or suggest several specific limitations recited in the claims of the present invention.

Per MPEP Section 706.02, for anticipation under 35 U.S.C. 102, the reference must teach every aspect of the claimed invention either explicitly or impliedly. In Oles, all appearances used "size perspective" for video image. Column 2 line 1 of Oles states "The present invention overcomes these deficiencies by providing a method and apparatus that allows a customer to visually determine the appropriate size of a portrait photograph and matching picture frame by displaying upon a portrait display viewer a perspective view of a combined video image of the photograph and the matching frame within a simulated room image." Further, Column 5 line 31-35: "The present invention as depicted in FIG. 5 allows the customer or operator to change the

perspective of the video image (**and the size of the resulting portrait**) as well as move and position the combined image within the simulated room setting image." This is further supported by the fact that all Oles figures show a frontal view of the picture. The fact that the monitor showing the simulated picture(s) is shown in a 3D perspective view further supports the contention that the "perspective view" in Oles is not the perspective view as claimed.

In sum, the "perspective" term in Oles relates to the "size of the resulting portrait" and includes the frame image shown in a head-on view. In contrast, each of the independent claims recite wherein the frame image is not shown in a head-on view. In one embodiment of the present invention, a discussion of the "perspective view" is provided on page 6 as follows:

A "perspective frame image" is an image that shows an in-perspective view of a frame. In other words, the frame in such a perspective frame image is not shown in a head-on view. For example, a frame can be arranged in a typical scene in which the frame might be displayed (e.g., on a table) and then a digital camera can be used to capture a perspective image of the frame as it appears in the scene. Also, a white piece of paper (or other suitable material) can be mounted in the frame where an image print would be displayed. As a result, the perspective frame image will include a white region located where an image print would be visible in the frame (also referred to here as the "picture area"). An example of such a perspective frame image 300 having a picture area 302 is shown in FIG. 3A.

As shown above, Oles cannot anticipate the invention as it only shows a head-on view. The Examiner notes that Teo taught the missing element. However, Teo fails to show each of the claimed element and cannot anticipate the claims. Withdrawal of the anticipation rejection is requested.

Moreover, Applicants traverse the unpatentable rejection over Oles and Teo. Teo shows a method and system for embedding images and video segments within a panoramic image of a scene, so as to maintain the proper perspective. However, Teo deals with panoramic images of scenes used to provide a viewer with an immersive surround experience, as if the viewer was standing in the center of a scene gazing in several directions. Panoramic images can be produced by taking multiple snapshots of a scene, as a camera is rotated horizontally and possibly also vertically. The snapshots are joined together and projected onto an appropriate geometrical surface, such as a cylinder or sphere, to reproduce an omniview effect. Applying Teo to Oles would not result in an **operable** system as the projection of the picture image in Oles onto a cylinder or sphere would severely distort the image. Hence, the combination of Oles and Teo

would not be operable. Further, there is no motivation to combine the omniviewing system of Teo to Oles.

Additionally, Oles and Teo fail to show at least the claimed "providing an enhanced edit set including user manipulable tools for editing either the picture or the frame in the perspective view." Oles shows no such enhanced edit set. Oles' Fig. 3 description is reproduced below:

FIG.3 illustrates the operator using the present invention to view the selected video image 24 within the selected picture frame image 26. The selected video image is initially transposed as a 5"x7" image on video portrait viewer 20 with the operator being able to manipulate or post-process the video image in a variety of ways including reducing or enlarging the image, rotating the image, or repositioning the image on the video portrait viewer 20. The present invention includes previously stored images of picture frames available for viewing so that the operator can go through the picture frame images to find one suitable for the portrait. Essentially, the present invention incorporates a picture frame catalog within its storage system, with the further ability to combine the selected video image 24 with the selected picture frame image 26 to form a combined image as depicted in FIG. 3. The present invention allows a photographer to show the customer every existing style and color of picture frame available. The customer is then able to select from the many styles and types of picture frames that will best complement and display the portrait. All of the present invention's post processing capability is available for use on the combined picture frame image and video image.

Oles describes item 22 as "Option menu 22 provides user access to all of the functions of the present invention such as reducing or enlarging the selected video image." However, nowhere in Oles does it show specifically the "providing an enhanced edit set including user manipulable tools for editing either the picture or the frame" in the perspective view (wherein the frame image is not shown in a head-on view) as discussed above. Here, Oles shows a 2D rendering of the picture or the frame from a frontal view. It does not show user manipulable tools for editing either the picture or the frame in the perspective view.

Applicants respectfully traverse the Section 102 rejection. Per MPEP Section 706.02, for anticipation under 35 U.S.C. 102, the reference must teach every aspect of the claimed invention either explicitly or impliedly. Here, Oles shows neither the perspective view nor the tools to edit the picture or the frame in the perspective view.

In sum, Oles and Teo cannot anticipate claim 1 since it fails at least one claimed element. Since a Section 102 rejection requires EACH and EVERY element to be present, Oles cannot anticipate any of the independent claims and those dependent therefrom. Withdrawal of the Section 102 rejection on claims 1-9, 11, 18 and 26 is respectfully requested.

UNDER SECTION 103(A), CLAIM 10 IS PATENTABLE OVER OLES, TEO AND KURASHIGE, CLAIMS 12-17, 19-22 AND 24-25 ARE PATENTABLE OVER OLES, TEO AND OBERG, CLAIM 23 IS PATENTABLE OVER OLES, TEO, OBERG AND FREEMAN, AND CLAIM 27 IS PATENTABLE OVER OLES, TEO AND MORRIS

Claim 10 was rejected under Section 103(a) over Oles and Kurashige (5,282,262). Claims 12-17, 19-22 and 24-25 were rejected under Section 103(a) as unpatentable over Oles and Oberg (5,870,771). Claim 23 was rejected as unpatentable over Oles, Oberg and Freeman (6,356,288). Claim 27 was rejected as unpatentable over Oles and Morris (6,453,361).

First, Appellant notes that references can not be arbitrarily combined. There must be some reason why one skilled in the art would be motivated to make the proposed combination of references. *In re Nomiya*, 184 U.S.P.Q. 607 (CCPA 1975).

Additionally, these claims are allowable as they depend from allowable claim 1. Further, none of the references show the specifics of the dependent claims. To illustrate, as to claim 10, neither Oles, Teo nor Kurashige show displaying of the image and frame in the perspective view and the user manipulable tools for editing either the picture or the frame in the perspective view. Kurashige relates to a hardware apparatus for transforming a two-dimensional input video signal onto a three-dimensional surface and for depicting illumination thereof by a spot light source transforms the two-dimensional video signal in accordance with a mapping data signal onto the three-dimensional surface. However, there is no specifics of displaying of the image and frame in the perspective view and the user manipulable tools for editing either the picture or the frame in the perspective view, and there is no suggestion of combining Kurashige with Oles. Withdrawal of the rejection of claim 10 is requested.

To further illustrate, as to claims 12-17, 19-22 and 24-25, Oberg does not show providing a frame image showing the frame in a perspective view, the frame image having a picture portion corresponding to the portion of the frame used to view a picture mounted in the frame. The frame molding 62 shown in FIG. 3 is shown as a top view, indicating that it is NOT a perspective

view but a 2D top view. Further, the superimposition operation mentioned in Oberg is consistent with the 2D top view since in a 2D view, differing layers only need to be super-imposed to provide a combined view.

Moreover, Oberg fails to show the "providing an enhanced edit set along with the frame image, the enhanced edit set including user manipulatable tools for editing either the picture or the frame in the perspective view." Here, Oberg's column 6, line 1-6 shows the image editing software and, as discussed above, Oberg does not show the perspective view. However, Oberg is absolutely devoid of the claimed specifics of an enhanced edit set along with the frame image, the enhanced edit set including user manipulatable tools for editing either the picture or the frame in the perspective view. Oberg is completely silent on where the editing set is placed relative to the frame image. Oberg's Fig. 3 shows only the frame and nothing else. Withdrawal of the rejection of claims 12-17, 19-22 and 24-25 is requested.

Claim 27 was rejected under Section 103(a) as unpatentable over Oles, Teo and Morris (6,453,361). Morris relates to an online system with a server for communicating with both client devices and photo-sharing web sites over a network.

Applicants respectfully traverse the rejection of claim 27. Here, neither Oles nor Morris shows instructions to provide a frame image showing the frame in a perspective view, the frame image having a picture portion corresponding to the portion of the frame used to view a picture mounted in the frame; map the picture image to the picture portion of the frame image in order to generate the frame prototype image; and provide an enhanced edit set along with the frame image, the enhanced edit set including user manipulatable tools for editing either the picture or the frame in the perspective view. Hence, claim 27 is patentable over Oles and Morris for each of these reasons.

Secondly, Applicants note that no motivation or suggestion, either in the cited art reference or in the knowledge generally available to one of ordinary skill in the art, has been cited by the Examiner to modify the Oles reference with Oberg so as to produce the claimed invention. Further, Applicants fail to identify any motivation to modify the reference teaching so as provide uploading of images that were edited and/or previewed in the perspective view arrangements as presently claimed. Applicants point out that the Examiner bears the initial burden of factually establishing and supporting any *prima facie* conclusion of obviousness. *In re Rinehart*, 189 U.S.P.Q. 143 (CCPA 1976); M.P.E.P. § 2142. If the Examiner does not produce a

prima facie case, the Applicant is under no obligation to submit evidence of nonobviousness. *Id.* In the instant case, the Examiner has not pointed to any evidence in Morris, or how knowledge of those skilled in the art, provide a suggestion or motivation to modify the reference teaching so as to produce the claimed invention of claim 27. See *In re Zurko*, 59 U.S.P.Q.2d 1693 (Fed. Cir. 2001) ([I]n a determination of patentability the Board cannot simply reach conclusions based on its understanding or experience - or on its assessment of what would be basic knowledge or common sense. Rather, the Board must point to some concrete evidence in the record in support of these findings).

Under *Vaeck*, absent any evidence of a cited suggestion or reasonable motivation in either Oles, Kurashige, Oberg or Morris reference, or knowledge of those skilled in the art, to provide a frame image showing the frame in a perspective view, the frame image having a picture portion corresponding to the portion of the frame used to view a picture mounted in the frame; map the picture image to the picture portion of the frame image in order to generate the frame prototype image; and provide an enhanced edit set along with the frame image, the enhanced edit set including user manipulatable tools for editing either the picture or the frame in the perspective view, and to upload the resulting image to a server, *prima facie* obviousness of the claims has not been established. As such, it is respectfully requested that the § 103(a) rejection of claim 27 and all claims be withdrawn.

CONCLUSION

Appellant believes that the above discussion is fully responsive to all grounds of rejections set forth in the Final Office Action.

Please charge any required small entity fees to Deposit Account 501861.

Respectfully submitted,

Bao Tran

Reg. 37,955

APPENDIX A
COMPLETE SET OF PENDING CLAIMS

1. A method of generating a frame prototype image showing a picture image framed within a frame, the method comprising:
 - providing a frame image showing the frame in a perspective view, the frame image
 - 5 having a picture portion corresponding to the portion of the frame used to view a picture mounted in the frame;
 - mapping the picture image to the picture portion of the frame image in order to generate the frame prototype image wherein the perspective frame image is not shown in a head-on view; and
 - 10 providing an enhanced edit set along with the frame image, the enhanced edit set including user manipulatable tools for editing either the picture or the frame in the perspective view.
- 15 2. The method of claim 1, further comprising identifying a picture portion of the frame image.
3. The method of claim 2, wherein identifying the picture portion of the frame image includes providing a mat identifying the picture portion of the frame image.
- 20 4. The method of claim 3, wherein the mat includes a plurality of pixels, each pixel having a pixel value.
5. The method of claim 4, wherein identifying the picture portion of the frame image includes setting each pixel in the mat that corresponds to the picture portion of the frame
- 25 image to a first pixel value.
6. The method of claim 2, wherein identifying the picture portion of the frame image includes identifying the outer perimeter of the picture portion of the frame image.

7. The method of claim 1, wherein the picture portion of the frame image has a quadrilateral shape and the method further includes identifying the picture portion of the frame image including identifying the four corners of the picture portion.
- 5 8. The method of claim 1, further comprising displaying the frame prototype image.
9. The method of claim 1, wherein mapping the picture image to the picture portion of the frame image includes texture mapping the picture image to the picture portion of the frame image.
- 10 10. The method of claim 1, wherein the mapping the picture image to the picture portion of the frame image includes mapping the picture image to the picture portion of the frame image using the illumination of the picture portion of the frame image.
- 15 11. The method of claim 1, wherein the frame image is captured using a digital camera.
12. The method of claim 1 wherein the enhanced image set includes a cropping tool and the method includes
cropping the picture in accordance with user instructions; and
20 presenting the cropped picture in the picture portion of the frame image.
13. The method of claim 1, wherein the enhanced image set includes a border tool and the method includes
adjusting the border of the picture in accordance with user instructions; and
25 presenting the picture including new border in the picture portion of the frame image.
14. The method of claim 1, wherein the enhanced image set includes an effects tool and the method includes
applying an effect to the picture in accordance with user instructions; and
30 presenting the picture including selected effect in the picture portion of the frame image.

15. The method of claim 14, further comprising selecting the effect from the group consisting of black & white, soft focus, color tone and saturate.

16. The method of claim 14, wherein the effect applied is color tone and the method
5 further comprises
receiving color tone adjustment data and presenting a color tone adjusted picture in the picture portion of the frame.

17. The method of claim 1, wherein the enhanced image set includes a rotation tool and
10 the method includes
rotating the frame in accordance with user instructions; and
presenting the rotated framed in the framed image.

18. The method of claim 1, wherein the enhanced image set includes a rotation tool and
the method includes
15 rotating the picture image in the frame in accordance with user instructions; and
presenting the rotated picture image in the frame of the framed image.

19. The method of claim 1, wherein the enhanced image set includes a border tool and the
method includes
20 receiving a border width selection;
adjusting the border width of the picture image in accordance with the border width
selection; and
presenting the picture image including adjusted border in the framed image.

20. The method of claim 1, wherein the enhanced image set includes a frame adjustment
button and the method includes
receiving a frame size selection;
changing a size of the frame in the perspective view in accordance with the frame size
selection;
30 mapping the picture image to a picture portion of the new size frame; and
presenting the picture image in the framed image.

21. The method of claim 1, wherein the enhanced image set includes a trimming tool and the method includes
trimming the picture image in accordance with user instructions; and
presenting the trimmed picture image in the frame of the framed image.

5

22. The method of claim 1, wherein the enhanced image set includes a delight me tool and the method includes
activating the delight me tool upon user request;
automatically selecting a feature or effect to apply to the framed image;
10 applying the selected feature to the framed image; and
presenting the framed image.

23. The method of claim 22, wherein the step of automatically selecting a feature includes randomly selecting a feature.

15

24. The method of claim 22, wherein the step of automatically selecting a feature or effect includes selecting a feature or effect to apply to the picture image.

25. The method of claim 22, wherein the step of automatically selecting a feature or
20 effect includes selecting a feature or effect to apply to the frame.

26. A computer program product tangibly embodied in a computer-readable medium, for generating a frame prototype image showing a picture image framed within a frame, comprising instructions operable to cause a computer to:
25 receive the picture image;
store a frame image showing the frame in a perspective view and a mat identifying the picture portion of the frame image;
map the picture image to the picture portion of the frame image in order to generate the frame prototype image wherein the frame image is not shown in a head-on view; and
30 provide an enhanced edit set along with the frame prototype image, the enhanced edit set including user manipulatable tools for editing either the picture or the frame in the perspective view.

27. A system for generating a frame prototype image showing a picture image framed within a frame, the system comprising:
- a client computer in communication with a computer network;
 - 5 a server, in communication with a computer network, having server software embodied in a computer-readable medium, the server software comprising instructions operable to cause the server to:
 - receive the picture image from the client computer;
 - store a frame image showing the frame in a perspective view and a mat identifying the
 - 10 picture portion of the frame image;
 - map the picture image to the picture portion of the frame image in order to generate the frame prototype image wherein the frame image is not shown in a head-on view; and
 - present an enhanced edit set along with the frame prototype image, the enhanced edit set including user manipulatable tools for editing either the picture or the frame in the
 - 15 perspective view; and
 - wherein the client computer includes client software embodied in a computer-readable medium, the client software comprising instructions operable to cause the client computer to upload the picture image to the server.